

INSULATED COMPONENTS - MAGNETIC SEAL

QK11

INSULATED SINGLE DRAWER



Self-contained, NSF certified, single-drawer in insulated cabinet. Single 304-stainless steel insulated drawer face mounted to full-size 8"depth hotel pan with 304-stainless steel tracks and acetal resin rollers. Drawer face measuring 12.75" x 16.25" has replaceable magnetic gasket providing a hermetic watertight seal. An insulated external jacket made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Box Dimensions			OUTER Drawer Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$665	11 1/2" 291mm	15" 380mm	22 23/32" 577.5mm	12 3/4" 324mm	16 1/4" 413mm	2 11/32" 59.5mm	40 lbs 18.1 kg

QM11

INSULATED DOUBLE DRAWER



Self-contained, NSF certified, double-drawer in insulated cabinet. Double 304-stainless steel insulated drawers each mounted to full-size 8"depth hotel pan with 304-stainless steel tracks and acetal resin rollers. Overall double drawer face measuring 25.74" x 16.25", each drawer with replaceable magnetic gasket provides a hermetic watertight seal. An insulated external jacket made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Box Dimensions			OUTER Drawer Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$1,035	24 1/2" 621mm	15" 380mm	22 23/32" 577.5mm		16 1/4" 413mm	2 11/32" 59.5mm	69 lbs 31 kg

OM19

INSULATED DOUBLE DRAWER WITH ONE SINGLE FRONT



Self-contained, NSF certified, double-drawer with single front in insulated cabinet. Single 304-stainless steel insulated face measuring 25.74" x 16.25" is mounted to a bottom positioned full-size 8"depth hotel pan with 304-stainless steel tracks and acetal resin rollers. Drawer face has a replaceable magnetic gasket providing a hermetic watertight seal. A second top positioned full-size 8"depth hotel pan is integrated to independent full length 304-stainless steel tracks and acetal resin rollers. An insulated external jacket made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Box Dimensions			Drawer	ensions		
PRICE	Н	W	D	Н	W	D	Weight
\$895	24 1/2" 621mm	15" 380mm	22 23/32" 577.5mm	25 3/4" 654mm	16 1/4" 413mm	2 11/32" 59.5mm	66 lbs 30 kg

INSULATED COMPONENTS - MAGNETIC SEAL

QU21I

PULL-OUT TRASH DRAWER



Self-contained, NSF certified, trash-drawer with single front in insulated cabinet. Single 304-stainless steel insulated face measuring 25.74" x 16.25" is mounted to a bottom positioned full-size 8"depth hotel pan with two plastic trash bins on 304-stainless steel tracks and acetal resin rollers. Drawer face has replaceable magnetic gasket providing a hermetic watertight seal. An insulated external jacket made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Box Dimensions			Drawer			
PRICE	Н	W	D	Н	W	D	Weight
\$955	24 1/2" 621mm	15" 380mm	22 23/32" 577.5mm	25 3/4" 654mm	16 1/4" 413mm	2 11/32" 59.5mm	57 lbs 26 kg



BASIC COMPONENTS- MAGNETIC SEAL

QR21

BASIC TRIPLE DRAWER



Self-contained, NSF certified, triple-drawer with integrated rail guides. Triple 304-stainless steel open drawers mounted to full-size 3.78"depth stainless steel storage pan with integrated 304-stainless steel tracks and acetal resin rollers. Overall triple drawer face measuring 25.75" x 18.26", each with replaceable magnetic gaskets providing a hermetic watertight seal. A drawer face frame made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Box Dimensions			OUTER Drawer Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$1,060	24 1/2" 621mm	17 <i>"</i> 431mm	18 25/32" 477mm	25 3/4" 654mm	18 9/32" 464mm	2 11/32" 59.5mm	49.2 lbs 22.3 kg

QX21D

BASIC SINGLE DOOR - RIGHT HAND HINGE



Self-contained, NSF certified, single-door right-hand opening in 17" wide integrated frame. Single 304-stainless steel insulated door face measuring 25.34" x 18.26", has replaceable magnetic gasket providing a hermetic watertight seal. Door frame made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.



	INNER Frame Dimensions			OUTER Door Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$330	24 1/2" 621mm	17 <i>"</i> 431mm	2 3/8" 60mm	25 3/4" 654mm	18 9/32" 464mm	2 11/32" 59.5mm	20 lbs 9.2 kg

QX21S

BASIC SINGLE DOOR - LEFT HAND HINGE



Self-contained, NSF certified, single-door left-hand opening in $17^{\prime\prime}$ wide integrated frame. Single 304-stainless steel insulated door face measuring 25.34" x 18.26", has replaceable magnetic gasket providing a hermetic watertight seal. Door face frame made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

ŀ

	INNER Frame Dimensions			Door I			
PRICE	Н	W	D	Н	W	D	Weight
\$330	24 1/2" 621mm	17 <i>"</i> 431mm	2 3/8" 60mm	25 3/4" 654mm	18 9/32" 464mm	2 11/32" 59.5mm	20 lbs 9.2 kg

BASIC COMPONENTS- MAGNETIC SEAL

QL21

BASIC DOUBLE DOORS - 30" WIDE CUTOUT



Self-contained, NSF certified, double-doors in 30" wide integrated frame. Double 304-stainless steel insulated doors measuring 21.25" x 31.29", each with replaceable magnetic gasket providing a hermetic watertight seal. Door face frame made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Frame Dimensions			OUTER Door Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$590	20" 507mm	30" 762mm	2 3/8" 60mm	21 1/4" 540mm	31 5/16" 795mm	2 11/32" 59.5mm	31 lbs 13.8 kg

QL22

BASIC DOUBLE DOORS - 34" WIDE CUTOUT



Self-contained, NSF certified, double-doors in 34" wide integrated frame. Double 304-stainless steel insulated doors measuring 21.25" x 35.27" has replaceable magnetic gasket providing a hermetic watertight seal. Door face frame made from high-strength composite allows easy installation to indoor and outdoor kitchen cabinet installations.

	INNER Frame Dimensions			OUTER Door Front Dimensions			
PRICE	Н	W	D	Н	W	D	Weight
\$640	20" 507mm	34" 863mm	2 3/8" 60mm	21 1/4" 540mm	35 9/32" 896mm	2 11/32" 59.5mm	32 lbs 14.6 kg



ROUND SINK

VRI38

ROUND SINK - 15 1/32"

Standard round sink to be inserted, made of AISI 304 Stainless Steel and equipped with waste pipe.



	Sir	INNER nk Dimensio	ons	OUTER Sink Dimensions	
PRICE	Н	W	D	Opening	Capacity
\$120	6 15/32" 164mm	14 31/32" 380mm	14 31/32" 380mm	15 1/32" 382mm	4.36 Gallons 16.5 Liters

VRI42

ROUND SINK - 16 5/8"

Standard round sink to be inserted, made of AISI 304 Stainless Steel and equipped with waste pipe.



	Sir	OUTER Sink Dimensions			
PRICE	Н	W	D	Opening	Capacity
\$123	6 1/2" 165mm	16 17/32" 420mm	16 17/32" 420mm	16 5/8" 422mm	5.68 Gallons 21.5 Liters



SQUARE SINK

VDI4021D

SQUARE SINK - RIGHT DRAIN

Standard square sink with right drain to be inserted, made of AISI 304 Stainless Steel and equipped with waste pipe.



	INNER Sink Dimensions			OUTER Sink Dimensions	
PRICE	Н	W	D	Opening	Capacity
\$176	7 7/8" 200mm	15 3/4" 400mm	15 3/4" 400mm	15 27/32" x 15 27/32" 402mm x 402mm	6.6 Gallons 25 Liters

VDI4021S

ROUND SINK - LEFT DRAIN

Standard square sink with left drain to be inserted, made of AISI 304 Stainless Steel and equipped with waste pipe.



	INNER Sink Dimensions			OUTER Sink Dimensions	
PRICE	Н	W	D	Opening	Capacity
\$176	7 7/8" 200mm	15 3/4" 400mm	15 3/4" 400mm	15 27/32" x 15 27/32" 402mm x 402mm	6.6 Gallons 25 Liters



